

Distribution Tables

2003 Behavioral Risk Factor Surveillance System (BRFSS)

These distribution tables supplement risk tables which have been placed on the North Dakota Department of Health web site for the BRFSS. The data is derived from a random telephone sample which has been statistically weighted to the age and sex distribution of the population. The percentages provided are expected to be reasonably representative of the non-institutionalized population of North Dakota adults 18 years and older.

Risk tables and distribution tables answer different questions as follows:

Risk tables: Among all respondents within a population stratum (e.g, ages 18 to 24), what percentage have the risk factor. Risk tables are more likely to answer the questions most users are looking to answer.

Distribution tables: Among all survey respondents with the risk factor (e.g., diabetes), what percent of them fall into specific population strata (e.g., various age groups)? For example, what percentage of all respondents with diabetes are in the 18-24 year age group?

TABLES

R1: At Risk For Binge Drinking

R2: At Risk For Heavy Alcohol Consumption

R1: At Risk For Ever Having Asthma

R2: At Risk For Ever Told had Arthritis

R3: At Risk For Chronic Joint Symptoms

R1: At Risk For Overweight But Not Obese

R2: At Risk For Overweight Or Obese

R3: At Risk For Obese

R1: At Risk For No Cholesterol Test In The Past 5 Years

R2: At Risk For High Cholesterol

R1: At Risk For Diabetes

R1: At Risk For Disability

R1: At Risk For Not Knowing Folate Prevents Birth Defects

R1: At Risk For No Health Insurance

R2: At Risk For Not Having Personal Doctor Or Health Care Provider

R1: At Risk For Fair Or Poor General Health

R1: At Risk For Hypertension

R1: At Risk For No Flu Shot In Past 12 Months

R2: At Risk For Never Having Pneumococcal Vaccine

R1: At Risk For Not Consuming 5 Fruits And Vegetables

R1: At Risk For Moderate Physical Activity

R3: At Risk For Recommended Level Of Physical Activity

R4: At Risk For No Leisure Physical Activity

R1: At Risk For Sun Burn In The Past 12 Months

R1: At Risk For Current Smoking

R2: At Risk For Current Smokeless Use (Male Only)

R4: At Risk For Not Quitting Smoking

R1: At Risk For Exposure To Violence As a Child

R1: At Risk For Binge Drinking

Selected Characteristics Of Respondents Who Are Binge Drinkers, 2003

Characteristics	# of Binge Drinkers	Among respondents who are binge drinkers, % distribution by subgroup	% Confidence Interval
Total	544	100	
Age Group (years)			
18 – 24	98	31.3	26.2-36.4
25 – 34	123	22.3	18.4-26.1
35 – 44	145	21.7	18.2-25.2
45 – 54	104	14.9	12.0-17.9
55 – 64	39	5.0	3.3-6.7
65+	34	4.7	3.1-6.4
Sex			
Male	380	75.4	71.5-79.2
Female	164	24.6	20.8-28.5
Race			
White	504	91.7	88.7-94.8
Amer. Indian	21	5.0	2.4-7.6
Other	15	3.3	1.5-5.0
Education			
Less than H.S.	30	5.9	3.5-8.3
H.S. Grad	182	34.7	29.9-39.4
Some College	188	34.9	30.3-39.5
College Grad	144	24.5	20.5-28.6
Household Income			
\$0 – 14,999	52	11.1	7.7-14.4
\$15,000 – 24,999	85	17.9	13.7-22.2
\$25,000 – 49,999	216	40.8	35.9-45.7
\$50,000 – 74,999	91	17.5	13.9-21.1
\$75,000+	67	12.7	9.5-15.8
Marital Status			
Married	264	49.3	44.5-54.1
Divorced	85	10.2	7.7-12.7
Widowed	13	1.3	0.5-2.0
Separated	8	1.0	0.3-1.8
Never Married	152	32.3	27.4-37.1
Member of Unmarried Couple	20	5.9	3.1-8.7

Employment			
Employed	438	78.6	74.3-82.9
Not Employed	17	3.6	1.4-5.9
Student/Homeworker	40	11.4	7.8-14.9
Retired/Unable to Work	46	6.4	4.4-8.3
Health Plan			
Health Coverage	457	82.9	78.9-86.7
Don't Have Coverage	84	17.1	13.3-21.0
Other variables			
Disability			
Yes	62	10.5	7.6-13.3
No	477	89.5	86.7-92.4
Child in the Home			
Yes	201	38.2	33.4-42.9
No	342	61.8	57.1-66.6
General Health			
Excellent, very good, good	494	92.3	90.0-94.7
Fair, poor	50	7.7	5.3-10.0
Current smokers			
Yes	207	34.6	30.1-39.1
No	337	65.4	60.8-69.9
Diabetes			
Yes	16	2.5	1.1-3.8
Only during pregnancy	2	0.3	0-0.7
No	525	97.2	95.8-98.6

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Binge Drinking: Respondents reporting having five or drinks on one occasion at least once in the past 30 days
Denominator:	Respondents who binge drink

R1: At Risk For Ever Having Asthma

Selected Characteristics Of Respondents Who Were Ever Told They Had Asthma, 2003			
Characteristics	# who were ever told they had asthma	Among respondents with asthma, % distribution by subgroup	% Confidence Interval
Total	221	100	
Age Groups (years)			
18 – 24	22	17.9	11.0-24.8
25 – 34	29	17.1	11.2-23.1
35 – 44	32	13.7	8.9-18.4
45 – 54	41	14.7	10.0-19.4
55 – 64	37	13.6	9.2-18.1
65 +	57	23.0	17.1-28.8
Sex			
Male	67	35.0	27.8-42.3
Female	154	65.0	57.7-72.2
Race			
White	207	93.5	89.7-97.3
Amer. Indian	11	5.3	1.7-8.9
Other	2	0.8	0.0-2.0
Education			
Less than H.S.	25	11.8	7.2-16.4
H.S. Grad	74	31.3	24.5-38.1
Some College	63	31.2	24.2-38.3
College Grad	59	25.7	19.4-32.0
Household Income			
\$0 – 14,999	35	14.5	9.4-19.6
\$15,000 – 24,999	48	24.0	17.3-30.8
\$25,000 – 49,999	69	35.6	28.2-43.1
\$50,000 – 74,999	28	15.8	9.8-21.8
\$75,000+	17	10.0	5.2-14.9
Marital Status			
Married	111	56.9	49.6-64.2
Divorced	41	12.1	8.1-16.1
Widowed	23	7.0	4.0-9.9
Separated	3	0.7	0.0-1.4
Never Married	38	19.2	12.8-25.6
Member of Unmarried Couple	5	4.1	0.4-7.8
Employment			

Employed	127	58.6	51.3-65.8
Not Employed	10	6.3	2.0-10.6
Student/Homeworker	20	11.2	6.2-16.1
Retired/Unable to Work	63	24.0	18.2-29.8
Health Plan			
Health Coverage	202	91.3	87.1-95.5
Don't Have Coverage	19	8.7	4.5-12.9
Disability			
Yes	86	36.3	29.3-43.4
No	130	63.7	56.6-70.7
Current Smokers			
Yes	52	21.5	15.6-27.4
No	168	78.5	72.6-84.4
General Health			
Excellent, very good, or good	147	69.7	63.1-76.3
Fair or poor	72	30.3	23.7-36.9
Overweight or Obese			
Yes	149	69.9	63.0-76.9
No	62	30.1	23.1-37.0

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Ever Having Asthma: Respondents who reported being ever told by a doctor, nurse or other health professional that they had Asthma
Denominator:	Respondents who were ever told they had asthma

R2: At Risk For Heavy Alcohol Consumption

Selected Characteristics Of Respondents Who Are Currently Heavy Drinkers, 2003			
Characteristics	# Heavy drinking	Among respondents heavy drinking, % distribution by subgroup	95% Confidence Interval
Total	149	100	
Age Group (years)			
18 – 24	33	39.9	29.5-50.3
25 – 34	15	10.4	4.8-15.9
35 – 44	34	17.9	11.4-24.3
45 – 54	33	16.3	10.1-22.4
55 – 64	14	6.6	2.9-10.2
65+	19	8.9	4.8-13.2
Sex			
Male	88	67.9	59.4-76.4
Female	61	32.1	23.6-40.6
Race			
White	137	92.9	87.9-97.9
Amer. Indian	5	2.5	0-4.8
Other	5	4.6	0.2-9.0
Education			
Less than H.S.	8	5.0	1.1-8.8
H.S. Grad	50	35.2	25.5-44.8
Some College	51	33.9	24.7-43.2
College Grad	40	25.9	17.1-34.7
Household Income			
\$0 – 14,999	18	11.0	5.4-16.6
\$15,000 – 24,999	21	15.9	8.2-23.6
\$25,000 – 49,999	66	51.9	42.0-61.8
\$50,000 – 74,999	17	10.5	5.2-15.6
\$75,000+	16	10.7	4.9-16.5
Marital Status			
Married	64	43.9	34.1-53.6
Divorced	17	7.4	3.5-11.3
Widowed	6	1.9	0.3-3.4
Separated	5	2.3	0.1-4.5
Never Married	51	40.3	30.0-50.6
Member of Unmarried Couple	5	4.2	0.3-8.1

Employment			
Employed	106	76.9	69.4-84.3
Not Employed	8	3.6	0.8-6.4
Student/Homeworker	6	6.4	1.3-11.5
Retired/Unable to Work	28	13.1	7.9-18.3
Health Plan			
Health Coverage	120	77.6	69.1-86.1
Don't Have Coverage	29	22.4	13.9-30.9
Other variables			
Disability			
Yes	27	15.6	9.1-22.0
No	121	84.4	77.9-90.9
Child in Home			
Yes	34	21.4	13.9-28.8
No	115	78.6	71.2-86.0
General Health			
Excellent, very good, good	129	90.6	86.1-95.2
Fair, poor	20	9.4	4.8-13.9
Current smoking			
Yes	64	40.3	30.7-49.9
No	85	59.7	50.0-69.2
Blood pressure high			
Yes	29	13.4	8.1-18.8
Only during pregnancy	2	0.8	0-2.1
No	118	85.8	80.3-91.2

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R2: At Risk For Heavy Alcohol Consumption: Respondents who averaged more than two drinks per day over the past 30 days.
Denominator:	Respondents who are currently heavy drinkers

R2: At Risk For Doctor Diagnosed Arthritis

Selected Characteristics Of Respondents Who Have Ever Been Told By A Doctor They Had Arthritis, 2003			
Characteristics	# ever told had arthritis	Among respondents at risk, % distribution by subgroup	95% Confidence Interval
Total	961	100	
Age Group (years)			
18 – 24	16	3.2	1.5-4.8
25 – 34	38	5.9	3.9-7.7
35 – 44	98	11.6	9.3-13.9
45 – 54	201	19.5	16.8-22.1
55 – 64	199	19.7	17.0-22.4
65+	401	40.1	36.8-43.4
Sex			
Male	317	39.4	35.9-42.8
Female	644	60.6	57.1-64.1
Race			
White	891	93.9	92.2-95.6
Amer. Indian	33	3.6	2.2-4.9
Other	22	2.5	1.4-3.6
Education			
Less than H.S.	135	14.7	12.3-17.2
H.S. Grad	318	32.2	29.0-35.5
Some College	307	32.2	28.9-35.4
College Grad	198	20.9	18.0-23.7
Household Income			
\$0 – 14,999	142	13.9	11.5-16.2
\$15,000 – 24,999	202	22.6	19.6-25.7
\$25,000 – 49,999	290	37.1	33.4-40.7
\$50,000 – 74,999	118	15.7	12.9-18.5
\$75,000+	84	10.7	8.4-13.0
Marital Status			
Married	535	66.4	63.3-69.4
Divorced	124	8.9	7.3-10.6
Widowed	201	15.3	13.1-17.4
Separated	9	0.6	0.2-1.0
Never Married	81	7.6	5.7-9.4
Member of Unmarried Couple	10	1.3	0.4-2.0
Employment			

Employed	450	49.6	46.1-53.0
Not Employed	25	2.7	1.5-3.8
Student/Homeworker	104	10.8	8.7-12.9
Retired/Unable to Work	380	36.9	33.6-40.1
Health Plan			
Health Coverage	871	89.7	87.5-91.9
Don't Have Coverage	90	10.3	8.0-12.5
Other variables			
Disability			
Yes	348	34.2	30.9-37.4
No	603	65.8	62.5-69.0
Current Smokers			
Yes	190	18.8	16.2-21.5
No	766	81.2	78.5-83.8
Diabetes			
Yes	127	11.9	9.7-14.0
Only during pregnancy	5	0.5	0-1.0
No	828	87.6	85.4-89.8
Overweight or Obese			
Yes	641	71.1	67.9-74.3
No	266	28.9	25.7-32.1
Physical Activity(PA)			
Meet PA	347	41.1	37.5-44.7
Insufficient PA	357	40.4	36.8-43.9
No PA	178	18.5	15.8-21.2
Binge drinking			
Yes	105	12.4	9.9-14.9
No	848	87.6	85.1-90.0
General Health			
Excellent, very good, good	691	73.5	70.5-76.5
Fair, poor	265	26.5	23.4-29.4

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R2: At Risk For Doctor Diagnosed Arthritis: Respondents who report having ever been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyagia.
Denominator:	Respondents who have doctor-diagnosed arthritis

R3: At Risk For Chronic Joint Symptoms
Selected Characteristics Of Respondents
With Joint Symptoms For 3 Months Or More, 2003

Characteristics	# with chronic joint symptoms	Among respondents with chronic joint pain, % distribution by subgroup	95% Confidence Interval
Total	1215	100	
Age Group (years)			
18 – 24	47	8.1	5.7-10.5
25 – 34	95	10.1	8.0-12.1
35 – 44	203	18.3	15.9-20.8
45 – 54	290	21.3	18.8-23.7
55 – 64	226	16.3	14.2-18.5
65+	354	25.9	23.3-28.5
Sex			
Male	484	47.8	44.6-51.0
Female	738	52.2	49.0-55.4
Race			
White	1162	95.2	93.9-96.5
Amer. Indian	41	3.4	2.3-4.6
Other	16	1.3	0.7-2.0
Education			
Less than H.S.	126	10.3	8.5-12.1
H.S. Grad	376	30.9	28.0-33.9
Some College	403	32.9	30.0-35.9
College Grad	314	25.8	23.1-28.6
Household Income			
\$0 – 14,999	158	11.9	9.9-13.9
\$15,000 – 24,999	226	19.2	16.6-21.7
\$25,000 – 49,999	403	39.3	36.1-42.6
\$50,000 – 74,999	180	18.4	15.8-21.1
\$75,000+	114	11.2	9.1-13.3
Marital Status			
Married	710	66.4	63.5-69.4
Divorced	150	8.2	6.8-9.6
Widowed	179	10.0	8.5-11.6
Separated	15	0.7	0.3-1.1
Never Married	150	12.8	10.4-15.2
Member of Unmarried Couple	16	1.8	0.8-2.7

Employment			
Employed	721	62.3	59.3-65.3
Not Employed	37	3.3	2.1-4.5
Student/Homeworker	111	9.6	7.7-11.4
Retired/Unable to Work	351	24.8	22.3-27.3
Health Plan			
Health Coverage	1089	88.8	86.8-90.8
Don't Have Coverage	131	11.2	9.2-13.2
Other variables			
Disability			
Yes	375	28.4	25.6-31.1
No	838	71.6	68.9-74.4
Current Smoking			
Yes	276	79.0	76.5-81.4
No	940	21.0	18.6-23.5
Diabetes			
Yes	125	8.9	7.2-10.5
Only during pregnancy	9	0.7	0.2-1.1
No	1086	90.5	88.8-92.2
Overweight or Obese			
Yes	348	29.5	26.5-32.4
No	813	70.5	67.6-73.5
Physical Activity (PA)			
Meet PA	507	46.3	43.1-49.5
Insufficient PA	460	39.6	36.4-42.8
No PA	189	14.1	12.0-16.2
Binge drinking			
Yes	47	4.6	3.0-6.2
No	1168	95.4	93.8-97.0
General Health			
Excellent, very good, good	937	79.2	76.8-81.6
Fair, poor	278	20.8	18.4-23.2

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R3: At Risk For Chronic Joint Pain: Respondents with joint pain for 3 months or more
Denominator:	Respondents With chronic joint pain

R1: At Risk For Overweight But Not Obese

Selected Characteristics Of Respondents
Who Are Overweight (Body Mass Index 25.0-29.9), 2003

Characteristics	# Overweight	Among respondents overweight, % distribution by subgroup	95% Confidence Interval
Total	1137	100	
Age Group (years)			
18 – 24	51	9.9	7.2-12.5
25 – 34	142	15.5	13.0-17.9
35 – 44	219	19.9	17.4-22.4
45 – 54	236	18.7	16.3-21.0
55 – 64	189	14.4	12.4-16.5
65+	291	21.6	19.2-24.0
Sex			
Male	612	61.5	58.4-64.5
Female	525	38.5	35.5-41.6
Race			
White	1054	93.0	91.3-94.6
Amer. Indian	30	3.2	2.0-4.4
Other	41	3.8	2.6-5.1
Education			
Less than H.S.	100	7.8	6.2-9.4
H.S. Grad	346	29.7	26.7-32.6
Some College	362	33.0	29.9-36.1
College Grad	328	29.5	26.6-32.5
Household Income			
\$0 – 14,999	99	9.1	7.1-11.1
\$15,000 – 24,999	189	17.3	14.7-19.9
\$25,000 – 49,999	414	40.3	36.9-43.6
\$50,000 – 74,999	203	20.2	17.6-22.9
\$75,000+	126	13.1	10.7-15.4
Marital Status			
Married	705	68.6	65.6-71.6
Divorced	127	7.1	5.8-8.5
Widowed	145	8.2	6.8-9.6
Separated	15	0.9	0.4-1.4
Never Married	123	12.3	9.8-14.8
Member of Unmarried Couple	20	2.8	1.5-4.1

Employment			
Employed	753	68.8	65.8-71.7
Not Employed	22	2.0	1.1-2.9
Student/Homeworker	90	9.0	7.0-11.0
Retired/Unable to Work	272	20.2	17.9-22.6
Health Plan			
Health Coverage	1029	89.8	87.7-91.9
Don't Have Coverage	105	10.2	8.1-12.2
General Health			
Excellent, very good, good	987	88.8	86.8-90.7
Fair, poor	148	11.2	9.3-13.2
Diabetes			
Yes	77	5.6	4.2-6.9
Only during pregnancy	2	0.2	0-0.6
No	1057	94.2	92.8-95.6
High Blood Pressure			
Yes	335	25.9	23.2-28.5
Only during pregnancy	6	0.4	0.1-0.8
No	790	73.7	71.0-76.3
Current Smoking			
Yes	237	21.0	18.4-23.7
No	896	79.0	76.3-81.6
High Cholesterol			
Yes	340	36.1	32.7-39.4
No	555	63.9	60.6-67.3
Physical Activity(PA)			
Meet PA	498	47.5	44.1-50.8
Insufficient PA	428	41.3	38.0-44.6
No PA	136	11.2	9.3-13.2

Disability			
Yes	184	14.2	12.1-16.3
No	940	85.8	83.6-87.9
Binge drinking			
Yes	240	24.0	21.1-26.9
No	890	76.0	73.0-78.9

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk for Overweight But Not Obese: Respondents with body mass index 25.0-29.9
Denominator:	Respondents who are overweight but not obese

R1: At Risk For Overweight Or Obese

Selected Characteristics Of Respondents Who Are Overweight Or Obese (Body Mass Index 25.0+), 2003			
Characteristics	# overweight or obese	Among respondents overweight or obese, % distribution by subgroup	95% Confidence Interval
Total	1849	100	
Age Group (years)			
18 – 24	88	10.1	8.0-12.2
25 – 34	218	14.6	12.7-16.5
35 – 44	347	19.5	17.5-21.4
45 – 54	407	19.9	17.9-21.8
55 – 64	321	14.8	13.1-16.4
65+	459	21.1	19.2-23.0
Sex			
Male	955	59.8	57.4-62.2
Female	894	40.2	37.8-42.6
Race			
White	1746	94.1	92.8-95.3
Amer. Indian	69	4.2	3.1-5.3
Other	28	1.7	1.0-2.3
Education			
Less than H.S.	178	9.3	7.8-10.7
H.S. Grad	579	31.1	28.7-33.4
Some College	584	32.1	29.7-34.5
College Grad	506	27.6	25.3-29.9
Household Income			
\$0 – 14,999	187	9.6	8.1-11.2
\$15,000 – 24,999	334	18.5	16.5-20.6
\$25,000 – 49,999	651	39.4	36.8-42.0
\$50,000 – 74,999	314	19.6	17.6-21.7
\$75,000+	202	12.8	11.0-14.6
Marital Status			
Married	1113	67.4	65.1-69.8
Divorced	214	7.6	6.5-8.7
Widowed	224	7.7	6.6-8.7
Separated	18	0.7	0.3-1.0
Never Married	247	14.1	12.1-16.1
Member of Unmarried Couple	31	2.5	1.6-3.4

Employment			
Employed	1216	68.2	65.8-70.5
Not Employed	44	2.5	1.7-3.3
Student/Homeworker	151	9.3	7.6-10.9
Retired/Unable to Work	436	20.1	18.2-22.0
Health Plan			
Health Coverage	1657	89.1	87.4-90.8
Don't Have Coverage	186	10.9	9.2-12.6
General Health			
Excellent, very good, good	1535	84.9	83.1-86.6
Fair, poor	311	15.2	13.4-16.9
Diabetes			
Yes	184	8.4	7.1-9.7
Only during pregnancy	15	0.9	0.4-1.3
No	1648	90.8	89.4-92.1
High Blood Pressure			
Yes	620	30.1	27.8-32.3
No	1219	69.9	67.7-72.2
Current Smoking			
Yes	367	19.8	17.8-21.8
No	1476	80.2	78.2-82.2
High Cholesterol			
Yes	583	37.2	34.5-39.8
No	903	62.8	60.2-65.5
Physical Activity(PA)			
Meet PA	779	46.6	44.0-49.2
Insufficient PA	719	41.1	38.5-43.7
No PA	252	12.3	10.8-13.9
Disability			
Yes	354	17.2	15.3-19.0
No	1476	82.8	81.0-84.7
Binge drinking			
Yes	76	5.2	3.8-6.5
No	1764	94.8	93.5-96.2

Table Type	Distribution of characteristics among persons with risk factor
-------------------	---

Definition:	R1: At Risk for Overweight Or Obese: Respondents with body mass index 25.0+
Denominator:	Respondents who are overweight or obese

R3: At Risk For Obese

Selected Characteristics Of Respondents Who are Currently Obese (Body Mass Index 30+), 2003			
Characteristics	# of obese	Among respondents obese, % distribution by subgroup	95% Confidence Interval
Total	712	100	
Age Group (years)			
18 – 24	37	10.7	7.2-14.1
25 – 34	76	13.4	10.5-16.3
35 – 44	128	18.8	15.6-21.9
45 – 54	171	21.7	18.4-25.0
55 – 64	132	15.2	12.5-17.8
65+	168	20.2	17.2-23.2
Sex			
Male	343	57.0	53.0-61.1
Female	369	43.0	38.9-46.9
Race			
White	657	92.4	90.2-94.7
Amer. Indian	31	4.5	2.7-6.2
Other	21	3.1	1.7-4.6
Education			
Less than H.S.	78	11.7	9.0-14.4
H.S. Grad	233	33.4	29.4-37.3
Some College	222	30.5	26.7-34.3
College Grad	178	24.4	20.8-28.0
Household Income			
\$0 – 14,999	88	10.6	8.1-13.0
\$15,000 – 24,999	145	20.7	17.2-24.1
\$25,000 – 49,999	237	37.8	33.7-42.0
\$50,000 – 74,999	111	18.6	15.2-22.0
\$75,000+	76	12.3	9.4-15.2
Marital Status			
Married	408	65.4	61.5-69.3
Divorced	87	8.3	6.4-10.3
Widowed	79	6.7	5.1-8.3
Separated	3	0.3	0-0.5
Never Married	124	17.3	13.8-20.7
1 Unmarried Couple	11	2.0	0.7-3.4
Employment			

Employed	463	67.2	63.3-71.1
Not Employed	22	3.4	1.8-5.1
Student/Homeworker	61	9.7	7.1-12.3
Retired/Unable to Work	164	19.7	16.6-22.8
Health Plan			
Health Coverage	628	87.9	85.0-90.7
Don't Have Coverage	81	12.1	9.3-15.0
Other variables			
General Health			
Excellent, very good, good	548	78.4	75.1-81.7
Fair, poor	163	21.6	18.2-24.9
Diabetes			
Yes	107	13.0	10.4-15.6
Only during pregnancy	13	1.9	0.8-3.1
No	591	85.1	82.3-87.8
High Blood Pressure			
Yes	285	36.9	33.0-40.9
Only during pregnancy	4	0.5	0-1.0
No	419	62.6	58.6-66.5
High Cholesterol			
Yes	243	38.8	34.5-43.1
No	348	61.2	56.9-65.5
Physical Activity(PA)			
Meet PA	281	46.2	41.9-50.6
Insufficient PA	274	39.4	35.2-43.6
No PA	116	14.4	11.6-17.1

Current Smoking			
Yes	130	17.7	14.6-20.9
No	580	82.3	79.1-85.4
Binge drinking			
Yes	120	20.5	16.8-24.2
No	588	79.5	75.8-83.1
Disability			
Yes	170	22.0	18.6-25.3
No	536	78.0	74.7-81.4

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Obesity: Respondents with body mass index 30+
Denominator:	Respondents who are currently obese

R1: At Risk For No Cholesterol Test In The Past 5 Years

Selected Characteristics Of Respondents With No Cholesterol Check In 5 Years, 2003			
Characteristics	# with no cholesterol check	Among respondents without cholesterol test, % distribution by subgroup	95% Confidence Interval
Total	742	100	
Age Group (years)			
18 – 24	140	32.5	28.0-36.4
25 – 34	177	23.8	20.4-27.2
35 – 44	186	21.5	18.5-24.6
45 – 54	137	13.2	10.8-15.5
55 – 64	44	4.0	2.7-5.2
65+	55	5.1	3.6-6.5
Sex			
Male	352	52.7	48.6-56.9
Female	390	47.3	43.1-51.4
Race			
White	685	91.6	89.2-94.1
Amer. Indian	37	5.7	3.6-7.8
Other	18	2.7	1.4-4.0
Education			
Less than H.S.	59	7.5	5.4-9.6
H.S. Grad	232	31.4	27.4-35.3
Some College	250	35.0	31.0-39.0
College Grad	201	26.1	22.4-29.8
Household Income			
\$0 – 14,999	99	14.4	11.1-17.8
\$15,000 – 24,999	152	23.0	19.2-26.8
\$25,000 – 49,999	264	38.2	34.0-42.4
\$50,000 – 74,999	105	15.5	12.6-18.5
\$75,000+	63	8.8	6.5-11.1
Marital Status			
Married	371	51.0	46.8-55.3
Divorced	88	7.3	5.5-9.1
Widowed	30	2.2	1.4-3.1
Separated	11	0.9	0.3-1.5
Never Married	206	31.5	27.3-35.6
Member of Unmarried Couple	35	7.1	4.3-9.8

Employment			
Employed	558	72.0	67.9-76.1
Not Employed	22	3.8	1.8-5.8
Student/Homeworker	95	18.2	14.4-22.0
Retired/Unable to Work	64	6.0	4.4-7.6
Health Plan			
Health Coverage	587	78.7	75.0-82.4
Don't Have Coverage	148	21.3	17.6-25.0
Other variables			
Disability			
Yes	87	105	8.1-12.9
No	646	89.5	87.1-91.9
High Blood Pressure			
Yes	78	8.0	6.0-9.9
No	662	92.0	90.1-94.0
Current Smoking			
Yes	226	28.1	24.4-31.9
No	516	71.9	68.1-75.6
Overweight or Obese			
Yes	404	55.0	50.7-59.3
No	305	45.0	40.7-49.3
Physical Activity(PA)			
Meet PA	349	51.5	47.1-55.8
Insufficient PA	279	40.6	36.3-44.8
No PA	72	8.0	6.0-9.9
General Health			
Excellent, very good, or good	686	93.4	91.2-95.5
Fair or poor	53	6.6	4.5-8.8

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No Cholesterol Check In The Past 5 Years: Respondents who reported that they have not had their cholesterol checked in 5 years
Denominator:	Respondents with no cholesterol check in 5 years

R2: At Risk For High Cholesterol

Selected Characteristics Of Respondents Who Have High Cholesterol, 2003			
Characteristics	# who have high cholesterol	Among respondents with high cholesterol, % distribution by subgroup	95% Confidence Interval
Total	824	100	
Age Group (years)			
18 – 24	1	0.1	0-0.3
25 – 34	31	5.2	3.3-7.1
35 – 44	78	11.2	8.7-13.7
45 – 54	186	23.0	19.8-26.1
55 – 64	189	22.4	19.4-25.5
65+	330	38.1	34.5-41.6
Sex			
Male	328	47.0	43.4-50.7
Female	496	53.0	49.3-56.7
Race			
White	775	94.7	92.9-96.5
Amer. Indian	18	2.9	1.5-4.4
Other	20	2.4	1.3-3.4
Education			
Less than H.S.	90	11.3	9.0-13.7
H.S. Grad	286	35.0	31.5-38.6
Some College	261	30.6	27.2-33.9
College Grad	185	23.1	19.9-26.2
Household Income			
\$0 – 14,999	92	10.7	8.4-13.0
\$15,000 – 24,999	165	20.7	17.6-23.8
\$25,000 – 49,999	259	38.2	34.3-42.1
\$50,000 – 74,999	120	18.2	15.1-21.3
\$75,000+	80	12.2	9.5-14.8
Marital Status			
Married	501	71.7	68.7-74.7
Divorced	108	9.1	7.3-10.9
Widowed	153	13.2	11.1-15.3
Separated	5	0.3	0-0.7
Never Married	53	4.9	3.5-6.4
Member of Unmarried Couple	4	0.7	0-1.5

Employment			
Employed	418	53.2	49.5-56.9
Not Employed	19	2.5	1.3-3.7
Student/Homeworker	82	10.2	7.9-12.4
Retired/Unable to Work	302	34.2	30.7-37.6
Health Plan			
Health Coverage	777	94.4	92.8-96.1
Don't Have Coverage	46	5.6	3.9-7.2
Other variables			
Disability			
Yes	208	23.9	20.8-27.0
No	607	76.1	73.0-79.2
Diabetes			
Yes	117	13.5	11.0-16.0
Only during pregnancy	5	0.6	0-1.1
No	702	85.9	83.4-88.5
High blood pressure			
Yes	399	46.8	43.2-50.5
Only during pregnancy	3	0.3	0-0.7
No	420	52.8	49.2-56.5
Physical Activity PA			
Meet PA	323	43.5	39.7-47.3
Insufficient PA	306	40.4	36.6-44.1
No PA	132	16.1	13.4-18.9

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For High Cholesterol: Respondents who reported that they were ever told that their blood cholesterol was high among those ever tested.
Denominator:	Respondents who have high cholesterol

R1: At Risk For Diabetes

Selected Characteristics Of Respondents Who Have Ever Been Told They Had Diabetes, 2003			
Characteristics	# who have diabetes	Among respondents at risk, % distribution by subgroup	95% Confidence Interval
Total	228	100	
Age Group (years)			
18 – 24	2	2.3	0-5.4
25 – 34	5	2.7	0.2-5.1
35 – 44	14	7.4	3.3-11.6
45 – 54	33	14.0	9.1-19.0
55 – 64	46	17.5	12.4-22.5
65+	124	56.1	49.1-63.2
Sex			
Male	87	46.3	39.1-53.5
Female	141	53.7	46.4-60.9
Race			
White	210	94.0	90.8-97.3
Amer. Indian	8	2.8	0.8-4.9
Other	6	3.2	0.6-5.7
Education			
Less than H.S.	40	17.9	12.3-23.6
H.S. Grad	79	33.2	26.5-39.9
Some College	65	28.8	22.2-35.4
College Grad	43	20.0	14.2-25.8
Household Income			
\$0 – 14,999	42	19.9	13.7-26.1
\$15,000 – 24,999	59	27.9	21.1-34.6
\$25,000 – 49,999	66	35.4	28.0-42.8
\$50,000 – 74,999	15	7.5	3.4-11.5
\$75,000+	16	9.3	4.7-13.8
Marital Status			
Married	106	58.9	52.2-65.7
Divorced	26	8.2	4.8-11.5
Widowed	76	25.1	19.4-30.7
Separated	2	0.6	0-1.5
Never Married	18	7.2	3.3-11.1
Member of Unmarried Couple	-	-	-
Employment			

Employed	85	38.7	31.6-45.6
Not Employed	5	1.9	0.1-3.7
Student/Homeworker	22	9.6	5.5-13.8
Retired/Unable to Work	116	49.8	42.6-56.9
Health Plan			
Health Coverage	209	91.0	86.7-95.2
Don't Have Coverage	19	9.0	4.8-13.3
Other variables			
Disability			
Yes	93	39.6	32.5-46.6
No	133	60.4	53.3-67.5
High Blood Pressure			
Yes	141	59.9	52.7-67.1
Only during pregnancy	1	0.5	0-1.5
No	86	39.6	32.4-46.7
High Cholesterol			
Yes	117	56.2	48.7-63.7
No	93	43.8	36.3-51.2
Physical Activity(PA)			
Meet PA	72	35.3	28.2-42.4
Insufficient PA	87	40.5	33.2-47.8
No PA	54	24.2	17.8-30.5

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk for Diabetes: Respondents who have ever been told by a doctor that they have diabetes
Denominator:	Respondents who have ever been told that they have diabetes

R1: At Risk For Disability

Selected Characteristics of Respondents With Disability, 2003			
Characteristics	# with disability	Among respondents with disabilities, % distribution by subgroup	95% Confidence Interval
Total	540	100	
Age Group (years)			
18 – 24	15	5.9	2.7-9.1
25 – 34	37	10.2	6.9-13.5
35 – 44	70	14.9	11.3-18.4
45 – 54	102	17.1	13.7-20.5
55 – 64	106	17.0	13.7-20.3
65+	204	34.9	30.7-39.2
Sex			
Male	209	46.6	41.7-51.4
Female	331	53.4	48.6-58.2
Race			
White	495	92.5	89.8-95.1
Amer. Indian	17	3.6	1.7-5.5
Other	19	3.9	1.9-5.9
Education			
Less than H.S.	71	14.2	10.9-17.4
H.S. Grad	166	30.1	25.8-34.5
Some College	162	30.6	26.1-35.1
College Grad	139	25.1	21.1-29.2
Household Income			
\$0 – 14,999	116	20.9	17.0-24.9
\$15,000 – 24,999	107	21.6	17.4-25.7
\$25,000 – 49,999	148	34.2	29.4-39.1
\$50,000 – 74,999	58	14.4	10.7-18.1
\$75,000+	35	8.9	5.8-11.9
Marital Status			
Married	261	57.3	52.6-61.9
Divorced	94	12.1	9.4-14.7
Widowed	101	13.8	11.0-16.5
Separated	8	0.8	0.2-1.4
Never Married	69	14.2	10.3-18.1
Member of Unmarried Couple	7	1.8	0.4-3.3

Employment			
Employed	208	41.3	36.6-46.1
Not Employed	23	4.4	2.4-6.3
Student/Homeworker	49	10.2	7.0-13.4
Retired/Unable to Work	259	44.1	39.4-48.7
Health Plan			
Health Coverage	477	87.0	83.5-90.4
Don't Have Coverage	63	13.0	9.5-16.4
Other variables			
Diabetes			
Yes	93	15.3	12.1-18.5
Only during pregnancy	1	0.2	0-0.5
No	445	84.5	81.3-87.7
Current Smoking			
Yes	134	24.0	20.1-27.9
No	404	76.0	72.1-79.9
Binge drinking			
Yes	62	14.0	10.4-17.6
No	472	86.0	82.4-89.6
Overweight or Obese			
Yes	354	68.2	63.5-72.9
No	156	31.8	27.1-36.5
Physical Activity (PA)			
Meet PA	183	38.8	33.8-43.7
Insufficient PA	187	37.2	32.5-41.9
No PA	139	24.0	20.1-27.9
Asthma			
Yes	100	18.4	14.8-22.0
No	439	81.6	78.0-85.2
General Health			
Excellent, very good, good	298	56.0	51.3-60.8
Fair, poor	239	44.0	39.2-48.7

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk for Disability: Respondents who reported that they are limited in any way in any activities because of physical, mental or emotional problem.

Denominator:	Respondents who had a disability
--------------	----------------------------------

R1: At Risk For Not Knowing Folate Prevents Birth Defects

Selected Characteristics Of Respondents Who Are At Risk For Not Knowing Folate Prevents Birth Defects, 2003			
Characteristics	# at Risk for not knowing Folate prevents Birth Defects	Among respondents at risk, % distribution by subgroup	95% Confidence Interval
Total	633	100	
Age Group (years)			
18 – 24	117	31.4	26.7-36.1
25 – 34	175	27.6	23.7-31.5
35 – 44	321	41.0	36.8-45.2
Sex			
Male	373	65.7	61.5-70.9
Female	260	34.3	30.3-38.4
Race			
White	570	89.7	86.9-92.6
Amer. Indian	42	7.4	4.8-10.0
Other	18	2.8	1.5-4.2
Education			
Less than H.S.	34	6.2	4.0-8.5
H.S. Grad	206	35.2	30.9-39.6
Some College	230	35.1	30.9-39.3
College Grad	162	23.4	19.8-27.1
Household Income			
\$0 – 14,999	66	11.2	8.2-14.3
\$15,000 – 24,999	106	18.8	15.0-22.6
\$25,000 – 49,999	250	41.6	37.1-46.1
\$50,000 – 74,999	94	16.0	12.8-19.2
\$75,000+	66	12.4	9.2-15.5
Marital Status			
Married	311	50.4	45.9-54.8
Divorced	75	7.4	5.6-9.2
Widowed	9	0.6	0.1-1.1
Separated	11	1.2	0.4-1.9
Never Married	203	35.8	31.3-40.3
Member of Unmarried Couple	21	4.7	2.4-6.9
Employment			
Employed	526	79.3	75.4-83.2
Not Employed	24	4.5	2.3-6.6

Student/Homeworker	59	13.6	10.1-17.0
Retired/Unable to Work	22	2.7	1.4-4.0
Health Plan			
Health Coverage	517	82.7	79.3-81.2
Don't Have Coverage	108	17.3	13.8-20.7
Other variables			
Disability			
Yes	77	12.1	9.2-15.0
No	556	87.9	85.0-90.8
High blood pressure			
Yes	79	11.6	8.9-14.2
Only during pregnancy	6	0.7	0.1-1.3
No	546	87.7	85.0-90.5
High Cholesterol			
Yes	68	16.8	12.8-20.8
No	312	83.2	79.2-87.2
Binge drinking			
Yes	53	8.9	6.2-11.7
No	576	91.1	88.3-93.8
Overweight or Obese			
Yes	358	57.6	53.1-62.1
No	254	42.4	37.9-46.9
Physical Activity(PA)			
Meet PA	340	57.6	53.1-62.0
Insufficient PA	221	35.8	31.4-40.1
No PA	51	6.7	4.7-8.6
General Health			
Excellent, very good, good	579	91.8	89.3-94.2
Fair, poor	54	8.2	5.8-10.7

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Not Knowing Folate Prevents Birth Defects: Respondents who did not correctly respond or responded "Don't Know" to a question about the reason for taking folate.
Denominator:	Respondents who are at risk for not knowing that folate prevents birth defects

R1: At Risk For No Health Insurance
Selected Characteristics of Respondents
Who Had No Health Insurance, 2003

Characteristics	# with no health insurance	Among respondents without insurance, % distribution by subgroup	95% Confidence Interval
Total	311	100	
Age Group (years)			
18 – 24	42	26.5	19.2-33.8
25 – 34	59	21.4	15.8-26.9
35 – 44	70	18.9	14.2-23.5
45 – 54	65	16.2	12.0-20.4
55 – 64	53	11.7	8.4-14.9
65+	21	5.3	2.8-7.8
Sex			
Male	156	56.0	49.2-62.8
Female	155	44.0	37.2-50.8
Race			
White	258	84.8	79.9-89.6
Amer. Indian	32	10.8	6.6-14.9
Other	13	4.4	1.7-7.2
Education			
Less than H.S.	38	12.9	8.4-17.5
H.S. Grad	104	33.0	26.7-39.4
Some College	113	35.0	28.5-41.2
College Grad	56	19.1	13.1-25.1
Household Income			
\$0 – 14,999	67	22.9	16.3-29.5
\$15,000 – 24,999	95	36.5	29.4-43.5
\$25,000 – 49,999	89	31.2	24.8-37.6
\$50,000 – 74,999	16	5.8	2.9-8.7
\$75,000+	12	3.6	1.4-5.7
Marital Status			
Married	126	41.9	35.4-48.4
Divorced	59	13.6	9.5-17.7
Widowed	20	4.3	2.2-6.5
Separated	1	0.2	0-0.5
Never Married	88	31.8	25.2-38.3
Member of Unmarried Couple	17	8.2	3.0-13.5

Employment			
Employed	218	67.6	60.8-74.4
Not Employed	26	8.3	4.9-11.7
Student/Homeworker	30	15.2	8.9-21.5
Retired/Unable to Work	37	8.9	5.7-12.0
Other variables			
Disability			
Yes	63	18.4	13.4-23.3
No	244	81.6	76.7-86.5
Diabetes			
Yes	19	4.9	2.5-7.3
Only during pregnancy	1	0.2	0-0.6
No	291	94.9	92.4-97.3
General Health			
Excellent, very good, good	248	82.1	77.2-87.1
Fair, poor	61	17.9	12.9-22.8
Asthma			
Yes	32	9.5	5.9-13.1
No	279	90.5	86.9-94.1
Overweight or Obese			
Yes	186	60.0	52.9-67.2
No	111	40.0	32.8-47.1

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No Health Insurance: Respondents who did not have any kind of health care coverage, including health insurance, prepaid plans such as HMO, or government plans such as Medicare
Denominator:	Respondents who had no health insurance

R2: At Risk For Not Having Personal Doctor Or Health Care Provider

Selected Characteristics Of Respondents With No Personal Health Care Provider, 2003			
Characteristics	# with no personal health care provider	Among respondents with no provider, % distribution by subgroup	95% Confidence Interval
Total	621	100	
Age Group (years)			
18 – 24	92	26.4	21.7-31.1
25 – 34	131	23.7	19.8-27.5
35 – 44	149	20.5	17.1-23.8
45 – 54	119	15.0	12.1-17.9
55 – 64	64	7.3	5.5-9.2
65+	62	7.1	5.3-9.0
Sex			
Male	395	68.9	64.8-72.9
Female	226	31.1	27.0-35.1
Race			
White	556	90.4	87.7-93.1
Amer. Indian	29	4.9	2.9-6.9
Other	28	4.7	2.8-6.6
Education			
Less than H.S.	47	7.7	5.2-10.2
H.S. Grad	184	31.0	26.6-35.3
Some College	223	34.5	30.3-38.8
College Grad	166	26.8	22.7-30.8
Household Income			
\$0 – 14,999	58	8.6	6.1-11.2
\$15,000 – 24,999	121	20.7	16.8-24.6
\$25,000 – 49,999	244	42.6	37.9-47.2
\$50,000 – 74,999	81	16.1	12.5-19.6
\$75,000+	65	12.0	8.9-15.1
Marital Status			
Married	282	48.4	43.9-52.9
Divorced	78	8.4	6.2-10.6
Widowed	39	3.6	2.4-4.7
Separated	12	1.2	0.5-2.0
Never Married	180	32.1	27.5-36.6
Member of Unmarried Couple	29	6.3	3.9-8.7

Employment			
Employed	479	76.8	72.9-80.7
Not Employed	20	3.5	1.8-5.2
Student/Homeworker	57	11.2	8.2-14.2
Retired/Unable to Work	65	8.5	6.2-10.8
Health Plan			
Health Coverage	485	78.5	74.6-82.3
Don't Have Coverage	133	21.5	17.7-25.3
Other variables			
Disability			
Yes	64	9.9	7.2-12.6
No	548	90.1	87.4-92.8
Diabetes			
Yes	10	1.1	0.4-1.9
Only during pregnancy	3	0.5	0-1.0
No	608	98.4	97.5-99.3
General Health			
Excellent, very good, good	575	93.9	91.9-95.9
Fair, and poor	45	6.1	4.1-8.0
Overweight or Obese			
Yes	380	61.5	56.9-66.0
No	226	38.5	33.9-43.0

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R2: At Risk For Not Having Personal Doctor Or Health Care Provider: Respondents who reported that they did not have one person that they thought of as their personal health care provider
Denominator:	Respondents with no personal health care provider

R1: At Risk For Fair Or Poor General Health

Selected Characteristics Of Respondents With Fair Or Poor General Health Status, 2003			
Characteristics	# with fair or poor general health status	Among respondents with fair or poor health, % distribution by subgroup	95% Confidence Interval
Total	444	100	
Age Group (years)			
18 – 24	15	7.5	3.5-11.5
25 – 34	24	7.2	4.1-10.2
35 – 44	39	9.6	6.5-12.8
45 – 54	91	18.2	14.3-22.0
55 – 64	78	15.7	12.2-19.2
65+	192	41.8	37.0-46.7
Sex			
Male	173	44.8	39.5-50.1
Female	271	55.2	49.9-60.5
Race			
White	394	91.1	88.2-93.9
Amer. Indian	21	4.6	2.5-6.7
Other	20	4.3	2.2-6.4
Education			
Less than H.S.	90	21.3	17.0-25.5
H.S. Grad	168	36.4	31.3-41.5
Some College	122	27.4	22.6-32.1
College Grad	62	14.9	11.0-18.9
Household Income			
\$0 – 14,999	110	25.1	20.2-29.9
\$15,000 – 24,999	113	31.0	25.5-36.5
\$25,000 – 49,999	109	29.8	24.6-34.9
\$50,000 – 74,999	22	7.0	3.8-10.2
\$75,000+	22	7.1	4.0-10.2
Marital Status			
Married	208	56.2	51.1-61.3
Divorced	67	10.9	8.1-13.6
Widowed	96	15.6	12.4-18.7
Separated	8	1.1	0.3-1.8
Never Married	58	13.7	9.5-18.0
Member of Unmarried Couple	7	2.5	0.6-4.4

Employment			
Employed	153	34.9	29.9-39.9
Not Employed	18	4.5	2.3-6.8
Student/Homeworker	48	13.6	9.2-17.8
Retired/Unable to Work	224	47.0	41.8-52.2
Health Plan			
Health Coverage	382	84.6	80.6-88.7
Don't Have Coverage	61	15.4	11.3-19.4
Other variables			
Diabetes			
Yes	109	23.2	18.9-27.4
Only during pregnancy	4	0.9	0-2.0
No	329	75.9	71.6-80.2
High Blood Pressure			
Yes	215	45.4	40.2-50.5
Only during pregnancy	2	0.3	0-0.8
No	225	54.3	49.1-59.4
High Cholesterol			
Yes	190	48.7	43.2-54.3
No	189	51.3	45.7-56.8
Current Smoking			
Yes	109	23.1	18.8-27.3
No	333	76.9	72.6-81.2
Current Asthma			
Yes	72	85.0	76.5-93.5
No	11	15.0	6.5-23.5
Overweight or Obese			
Yes	311	72.8	67.7-77.8
No	110	27.2	22.2-32.3
Physical Activity(PA)			
Meet PA	125	32.2	27.0-37.5
Insufficient PA	143	37.6	32.1-43.1
No PA	138	30.2	25.4-35.0
Disability			
Yes	239	53.3	47.9-58.6
No	198	46.7	41.3-52.0

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Fair Or Poor Health: Respondents who described their general health as fair or poor.
Denominator:	Respondents with fair or poor general health status

R1: At Risk For Hypertension

Selected Characteristics Of Respondents Who Have High Blood Pressure, 2003			
Characteristics	# who have high blood pressure	Among respondents with hypertension, % distribution by subgroup	95% Confidence Interval
Total	842	100	
Age Group (years)			
18 – 24	6	1.9	0.3-3.4
25 – 34	33	5.6	3.7-7.6
35 – 44	76	11.6	9.0-14.2
45 – 54	151	17.0	14.2-19.8
55 – 64	180	19.8	16.9-22.6
65+	385	44.1	40.5-47.7
Sex			
Male	345	48.5	44.7-52.2
Female	497	51.5	47.7-55.2
Race			
White	791	94.2	92.2-96.2
Amer. Indian	17	3.1	1.5-4.6
Other	21	2.7	1.4-3.9
Education			
Less than H.S.	116	14.3	11.6-16.9
H.S. Grad	301	36.4	32.8-40.0
Some College	248	29.1	25.7-32.5
College Grad	175	20.2	17.2-23.1
Household Income			
\$0 – 14,999	122	14.6	11.8-17.3
\$15,000 – 24,999	189	24.3	20.9-27.6
\$25,000 – 49,999	257	36.4	32.5-40.2
\$50,000 – 74,999	100	14.5	11.6-17.4
\$75,000+	66	10.2	7.6-12.8
Marital Status			
Married	463	65.6	62.2-68.9
Divorced	103	8.7	6.9-10.4
Widowed	187	16.0	13.6-18.4
Separated	13	1.2	0.5-2.0
Never Married	69	7.5	5.4-9.5
Member of Unmarried Couple	7	1.0	0.2-1.9

Employment			
Employed	381	48.0	44.2-51.7
Not Employed	26	3.2	1.8-4.5
Student/Homeworker	87	10.2	8.0-12.4
Retired/Unable to Work	346	38.6	35.1-42.2
Health Plan			
Health Coverage	779	92.3	90.2-94.3
Don't Have Coverage	62	7.7	5.7-9.8
Other variables			
Disability			
Yes	238	26.7	23.4-29.9
No	592	73.3	70.1-76.6
Diabetes			
Yes	141	15.5	12.9-18.0
Only during pregnancy	3	0.4	0-0.9
No	697	84.1	81.5-86.7
High Cholesterol			
Yes	399	50.8	46.9-54.7
No	369	49.2	45.2-53.0
Physical Activity(PA)			
Meet PA	308	41.0	37.1-44.8
Insufficient PA	313	39.9	36.1-43.8
No PA	158	19.1	16.1-22.0

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Hypertension: Respondents who reported having ever been told by a doctor, nurse or other health professional they the have high blood pressure
Denominator:	Respondents who have high blood pressure

R1: At Risk For No Flu Shot In Past 12 Months

Selected Characteristic of Respondents Who Had No Flu Shot In the Past 12 Months (Respondents 65+)			
Characteristics	# who had no flu shot during the past 12 months	Among respondents at risk, % distribution by subgroup	95% Confidence Interval
Total	202	100	
Sex			
Male	81	47.3	39.8-54.9
Female	121	52.7	45.1-60.2
Race			
White	188	95.6	92.5-98.7
Amer. Indian	1	0.6	0-1.8
Other	7	3.8	0.9-6.7
Education			
Less than H.S.	58	30.2	23.1-37.2
H.S. Grad	65	32.9	25.9-39.9
Some College	56	26.2	19.6-32.7
College Grad	23	10.8	6.2-15.3
Household Income			
\$0 – 14,999	39	21.3	14.7-27.8
\$15,000 – 24,999	62	36.4	28.5-44.4
\$25,000 – 49,999	40	26.2	18.7-33.7
\$50,000 – 74,999	18	11.6	6.1-17.2
\$75,000+	8	4.5	1.2-7.7
Marital Status			
Married	95	59.1	51.9-66.1
Divorced	12	3.7	1.5-6.0
Widowed	78	30.1	23.8-36.4
Separated	2	0.7	0-1.6
Never Married	14	5.6	2.2-8.9
Member of Unmarried Couple	1	0.8	0-2.4
Employment			
Employed	49	25.3	18.7-31.8
Not Employed	-	-	-
Student/Homeworker	20	10.4	5.9-14.9
Retired/Unable to Work	131	64.3	56.9-71.6
Health Plan			
Health Coverage	194	96.8	94.3-99.2

Don't Have Coverage	7	3.2	0.8-5.6
Disability			
Yes	48	22.6	16.3-28.8
No	151	77.4	71.1-83.7
Diabetes			
Yes	25	13.6	8.1-19.1
Only during pregnancy	-	-	-
No	176	86.4	80.9-91.9
General Health			
Excellent, very good, or good	163	79.8	73.3-86.2
Fair or poor	37	20.2	13.7-26.7
Overweight or Obese			
Yes	117	61.5	53.8-69.1
No	69	38.5	30.8-46.2
Personal Provider			
Yes, only one	146	72.8	66.1-79.5
More than one	23	11.8	6.7-16.9
No	32	15.4	10.1-20.7

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No Flu Shot In Past 12 Months: respondents who had no flu shot in the past 12 months (respondents 65+)
Denominator:	Respondents Who Had No Flu Shot In Past 12 months (Respondents 65+)

R2: At Risk For Never Having Pneumococcal Vaccine

Selected Characteristics Of Respondents Who Never Had Pneumovac (Respondents 65+), 2003			
Characteristics	# who never had Pneumovac	Among respondents without vaccination, % distribution by subgroup	95% Confidence Interval
Total	210	100	
Sex			
Male	72	40.3	32.8-47.7
Female	138	59.7	52.3-67.2
Race			
White	193	95.3	92.1-98.5
Amer. Indian	3	1.5	0-3.2
Other	6	3.2	0.5-5.9
Education			
Less than H.S.	56	26.6	20.1-33.1
H.S. Grad	64	30.0	23.4-36.6
Some College	59	27.7	21.0-34.4
College Grad	31	15.7	10.4-21.0
Household Income			
\$0 – 14,999	33	17.6	11.5-23.7
\$15,000 – 24,999	67	35.5	27.9-43.2
\$25,000 – 49,999	48	27.7	20.4-34.8
\$50,000 – 74,999	19	11.1	6.1-16.1
\$75,000+	13	8.1	3.7-12.5
Marital Status			
Married	108	62.4	55.5-69.3
Divorced	14	4.1	1.9-6.3
Widowed	78	29.0	22.7-35.2
Separated	1	0.2	0-7.1
Never Married	8	3.5	0.6-6.3
Member of Unmarried Couple	1	0.8	0-2.4
Employment			
Employed	49	22.1	16.0-28.2
Not Employed	1	0.2	0-0.7
Student/Homeworker	25	12.5	7.7-17.4
Retired/Unable to Work	133	65.2	58.1-72.2

Health Plan			
Health Coverage	202	96.1	92.9-99.3
Don't Have Coverage	7	3.9	0.7-7.1
Other variables			
Disability			
Yes	52	24.7	18.2-31.2
No	155	75.3	68.8-81.8
Diabetes			
Yes	29	14.3	9.0-19.5
No	181	85.7	80.5-90.9
General Health			
Excellent, very good, good	168	78.7	72.3-85.0
Fair, poor	41	21.3	15.0-27.7
Overweight or Obese			
Yes	118	62.5	54.9-69.9
No	73	37.5	30.0-45.0
Personal Provider			
Yes, only one	156	74.2	67.6-80.8
More than one	23	11.7	6.6-16.7
No	29	14.1	8.9-19.2

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R2: At Risk For Never Having Pneumococcal Vaccine: respondents who never had pneumovac
Denominator:	Respondents who never had pneumovac

R1: At Risk For Not Consuming 5 Fruits And Vegetables

Selected Characteristics of Respondents Consuming Less Than 5 Servings Of Fruit And Vegetables Per Day, 2003			
Characteristics	# Adults consuming less than 5 servings of fruit and vegetables/day	Among respondents consuming less than 5 servings, % distribution by subgroup	95% Confidence Interval
Total	2344	100	
Age Group (years)			
18 – 24	193	16.8	14.5-19.0
25 – 34	321	15.7	14.0-17.4
35 – 44	469	19.8	18.0-21.5
45 – 54	509	18.5	16.9-20.2
55 – 64	340	11.9	10.6-13.2
65+	493	17.3	15.7-18.8
Sex			
Male	1107	54.1	51.8-56.4
Female	1237	45.9	43.6-48.2
Race			
White	2180	93.3	92.1-94.5
Amer. Indian	68	3.2	2.3-4.0
Other	75	3.5	2.6-4.3
Education			
Less than H.S.	201	8.2	7.0-9.4
H.S. Grad	740	31.5	29.3-33.6
Some College	769	33.6	31.3-35.7
College Grad	631	26.7	24.7-28.8
Household Income			
\$0 – 14,999	238	10.6	9.0-12.2
\$15,000 – 24,999	417	18.9	16.9-20.8
\$25,000 – 49,999	808	38.9	36.5-41.2
\$50,000 – 74,999	366	18.0	16.2-19.8
\$75,000+	273	13.6	11.9-15.2
Marital Status			
Married	1356	63.0	60.8-65.3
Divorced	294	7.8	6.9-8.8
Widowed	244	6.4	5.5-7.2
Separated	26	0.7	0.4-1.0
Never Married	370	18.7	16.6-20.7
Member of Unmarried Couple	51	3.4	2.3-4.5

Employment			
Employed	1598	69.3	67.1-71.4
Not Employed	56	2.4	1.7-3.2
Student/Homeworker	216	11.9	10.1-13.6
Retired/Unable to Work	468	16.4	14.9-17.9
Health Plan			
Health Coverage	2081	87.8	86.1-89.5
Don't Have Coverage	253	12.2	10.5-13.9
Other variables			
Disability			
Yes	403	15.2	13.6-16.8
No	1913	84.8	83.2-86.3
Current Smoking			
Yes	549	22.4	20.4-24.3
No	1789	77.6	75.7-79.6
High Blood Pressure			
Yes	611	22.4	20.6-24.2
Only during pregnancy	12	0.4	0.2-0.8
No	1715	77.2	75.4-78.9
High Cholesterol			
Yes	617	32.5	30.1-34.8
No	1149	67.5	65.2-69.8
Overweight or Obese			
Yes	1462	64.4	62.1-66.7
No	772	35.6	33.3-37.9
Physical Activity (PA)			
Meet PA	964	46.2	43.8-48.6
Insufficient PA	906	41.6	39.3-44.0
No PA	312	12.2	10.7-13.6
General Health			
Excellent, very good, good	2010	87.6	86.1-89.0
Fair, poor	327	12.4	10.9-13.9

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Not Consuming 5 Fruits And Vegetables: respondents who don't consume 5 fruits and vegetables

	per day
Denominator:	Respondents who don't consume 5 fruits and vegetables per day

R1: At Risk For Moderate Physical Activity

Selected Characteristics Of Respondents Who Are At Risk For Not Meeting Recommended Moderate Physical Activity (PA), 2003			
Characteristics	# at risk for not meeting recommended moderate PA	Among respondents at risk, % distribution by subgroup	95% Confidence Interval
Total	1485	100	
Age Group (years)			
18 – 24	97	14.0	11.3-16.7
25 – 34	163	13.3	11.3-15.3
35 – 44	249	17.3	15.2-19.4
45 – 54	312	18.5	16.4-20.6
55 – 64	218	12.3	10.6-13.9
65+	431	24.6	22.4-26.8
Sex			
Male	594	47.0	44.1-49.9
Female	891	53.0	50.1-55.9
Race			
White	1389	94.0	92.5-95.4
Amer. Indian	36	2.8	1.8-3.8
Other	44	3.2	2.2-4.3
Education			
Less than H.S.	151	9.6	8.0-11.3
H.S. Grad	488	33.3	30.5-36.1
Some College	461	31.8	29.0-34.5
College Grad	381	25.3	22.8-27.7
Household Income			
\$0 – 14,999	180	11.4	9.6-13.2
\$15,000 – 24,999	286	21.3	18.7-23.8
\$25,000 – 49,999	484	37.7	34.7-40.7
\$50,000 – 74,999	220	18.1	15.7-20.4
\$75,000+	144	11.5	9.6-13.5
Marital Status			
Married	835	63.3	60.5-66.1
Divorced	172	7.4	6.2-8.6
Widowed	223	9.7	8.4-11.1
Separated	13	0.6	0.2-0.9
Never Married	219	16.9	14.4-19.4
Member of Unmarried Couple	22	2.1	1.1-3.1

Employment			
Employed	917	63.6	60.8-66.4
Not Employed	24	1.9	1.0-2.7
Student/Homeworker	145	11.7	9.6-13.8
Retired/Unable to Work	397	22.8	20.6-25.1
Health Plan			
Health Coverage	1336	89.6	87.7-91.5
Don't Have Coverage	142	10.4	8.5-12.3
Other variables			
Disability			
Yes	326	19.4	17.2-21.5
No	1150	80.6	78.5-82.7
Current Smoking			
Yes	311	20.2	17.9-22.4
No	1171	79.8	77.6-82.1
High Blood Pressure			
Yes	471	27.7	25.3-30.1
Only during pregnancy	6	0.4	0-0.7
No	1004	71.9	69.5-74.3
High Cholesterol			
Yes	438	35.8	32.8-38.7
No	728	64.2	61.3-67.2
Overweight or Obese			
Yes	954	66.8	64.0-69.6
No	458	33.2	30.4-36.0
Asthma			
Yes	170	11.2	9.4-12.9
No	1312	88.8	87.0-90.6
General Health			
Excellent, very good, or good	1198	82.7	80.6-84.8
Fair or poor	281	17.3	15.2-19.4

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Moderate Physical Activity: Respondents who are at risk for not meeting recommended moderate physical activity
Denominator:	Respondents who are at risk for not meeting recommended moderate physical activity

R3: At Risk For Recommended Level Of Physical Activity

Selected Characteristics Of Respondents Who Are At Risk For Not Meeting Recommended Physical Activity (PA), 2003			
Characteristics	# at risk for not meeting recommended PA	Among respondents at risk, % distribution by subgroup	95% Confidence Interval
Total	1515	100	
Age Group (years)			
18 – 24	97	13.7	11.1-16.4
25 – 34	166	13.3	11.3-15.3
35 – 44	257	17.6	15.5-19.7
45 – 54	315	18.4	16.3-20.4
55 – 64	223	12.4	10.8-14.1
65+	443	24.6	22.3-26.9
Sex			
Male	605	47.1	44.2-50.0
Female	901	52.9	50.0-55.8
Race			
White	1431	94.6	93.2-96.0
Amer. Indian	42	3.3	2.2-4.4
Other	26	2.1	12-2.9
Education			
Less than H.S.	151	9.6	8.0-11.2
H.S. Grad	494	33.3	30.5-36.0
Some College	473	32.0	29.3-34.7
College Grad	384	25.1	22.7-27.5
Household Income			
\$0 – 14,999	182	11.4	9.6-13.3
\$15,000 – 24,999	292	21.4	18.9-24.0
\$25,000 – 49,999	490	37.6	34.6-40.5
\$50,000 – 74,999	222	18.0	15.7-20.3
\$75,000+	146	11.5	9.6-13.5
Marital Status			
Married	851	63.3	60.6-66.1
Divorced	175	7.4	6.3-8.6
Widowed	228	9.7	8.4-11.1
Separated	14	0.6	0.3-1.0
Never Married	224	16.8	14.3-19.3
Member of Unmarried Couple	22	2.0	1.0-3.0

Employment			
Employed	932	63.3	60.5-66.1
Not Employed	24	1.8	1.0-2.6
Student/Homeworker	150	11.8	9.7-13.9
Retired/Unable to Work	406	23.0	20.8-25.3
Health Plan			
Health Coverage	1364	89.6	87.8-91.5
Don't Have Coverage	144	10.4	8.5-12.2
Other variables			
Disability			
Yes	328	19.2	17.1-21.3
No	1176	80.8	78.7-82.9
Current Smoking			
Yes	321	20.4	18.2-22.7
No	1191	79.6	77.3-81.8
High Blood Pressure			
Yes	475	27.5	25.1-29.9
No	1033	72.5	70.1-74.9
High Cholesterol			
Yes	445	35.7	32.8-38.7
No	744	64.3	61.3-67.2
Overweight or Obese			
Yes	968	66.7	63.9-69.5
No	469	33.3	30.5-63.1
Asthma			
Yes	134	8.5	6.9-10.0
No	1371	91.5	90.0-93.1
General Health			
Excellent, very good, or good	1223	82.8	80.7-84.9
Fair or poor	282	17.2	15.1-19.3

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R3: At Risk For Recommended Level Of Physical Activity: Respondents who are at risk for not meeting recommended physical activity
Denominator:	Respondents who are at risk for not meeting recommended physical activity

R4: At Risk For No Leisure Physical Activity

Selected Characteristics Of Respondents At Risk For No Physical Activity, 2003			
Characteristics	# at risk for rec. physical activity	Among respondents with no activity, % distribution by subgroup	95% Confidence Interval
Total	762	100	
Age Group (years)			
18 – 24	31	8.1	5.2-11.0
25 – 34	61	11.2	8.4-13.9
35 – 44	117	16.1	13.2-18.9
45 – 54	154	18.3	15.4-21.2
55 – 64	126	14.6	12.0-17.2
65+	270	31.7	28.3-35.1
Sex			
Male	329	49.9	45.9-53.8
Female	433	50.1	46.2-54.1
Race			
White	703	93.1	91.1-95.1
Amer. Indian	27	3.4	2.0-4.7
Other	23	3.5	2.0-5.0
Education			
Less than H.S.	133	17.0	14.0-19.9
H.S. Grad	278	37.7	33.8-41.6
Some College	225	29.7	26.1-33.3
College Grad	123	15.6	12.8-18.4
Household Income			
\$0 – 14,999	124	15.5	12.6-18.3
\$15,000 – 24,999	161	24.1	20.3-27.8
\$25,000 – 49,999	242	38.4	34.3-42.6
\$50,000 – 74,999	88	14.3	11.3-17.2
\$75,000+	48	7.7	5.5-9.9
Marital Status			
Married	421	64.4	60.7-68.0
Divorced	108	10.1	7.9-12.2
Widowed	128	11.6	9.5-13.7
Separated	8	0.9	0.2-1.5
Never Married	89	11.7	8.8-14.6
Member of Unmarried Couple	8	1.3	0.3-2.4

Employment			
Employed	420	58.6	54.7-62.4
Not Employed	19	2.4	1.2-3.5
Student/Homeworker	71	10.1	7.6-12.6
Retired/Unable to Work	251	28.9	25.5-32.3
Health Plan			
Health Coverage	674	86.9	84.0-89.8
Don't Have Coverage	87	13.1	10.2-15.9
Other variables			
Disability			
Yes	219	26.1	22.7-29.4
No	532	73.9	70.6-77.3
Current Smoking			
Yes	187	24.5	21.0-27.9
No	573	75.5	72.1-78.9
High Blood Pressure			
Yes	268	31.6	28.1-35.1
Only during pregnancy	5	0.6	0-1.1
No	486	67.8	64.3-71.4
High Cholesterol			
Yes	234	39.0	34.7-43.3
No	341	61.0	56.7-65.3
Overweight or Obese			
Yes	502	68.5	64.6-72.4
No	219	31.5	27.6-35.4
Asthma			
Yes	81	10.7	8.3-13.2
No	680	89.3	86.8-91.7
General Health			
Excellent, very good, or good	552	75.2	71.8-78.5
Fair or good	203	24.8	21.5-28.2

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No leisure Physical Activity: Respondents at risk for no physical activity
Denominator:	Respondents at risk for no physical activity

R1: At Risk For Sun Burn In The Past 12 Months

Selected Characteristics Of Respondents Who Had A Sun Burn Within The Past 12 Months, 2003			
Characteristics	# who had a sunburn within the past 12 months	Among respondents sun burned, % distribution by subgroup	95% Confidence Interval
Total	1154	100	
Age Groups (years)			
18 – 24	140	22.9	19.5-26.2
25 – 34	241	21.5	18.8-24.1
35 – 44	302	23.5	20.9-26.0
45 – 54	266	18.8	16.5-21.1
55 – 64	126	8.6	7.1-10.2
65 +	73	4.7	3.5-5.9
Sex			
Male	577	55.6	52.3-58.8
Female	577	44.4	41.1-47.7
Race			
White	1093	94.1	92.4-95.7
Amer. Indian	29	3.2	1.9-4.4
Other	28	2.7	1.6-3.9
Education			
Less than H.S.	47	4.2	2.9-5.6
H.S. Grad	296	26.7	23.7-29.7
Some College	410	35.8	32.6-38.9
College Grad	400	33.3	30.1-36.3
Household Income			
\$0 – 14,999	81	8.8	6.5-11.1
\$15,000 – 24,999	164	15.0	12.5-17.4
\$25,000 – 49,999	421	38.4	35.1-41.7
\$50,000 – 74,999	239	21.5	18.8-24.1
\$75,000+	166	16.3	13.8-18.8
Marital Status			
Married	705	62.4	59.1-65.7
Divorced	120	6.6	5.3-8.0
Widowed	40	1.8	1.2-2.4
Separated	14	0.8	0.3-1.2
Never Married	239	23.9	20.7-27.0
Member of Unmarried Couple	34	4.5	2.7-6.3
Employment			

Employed	930	79.0	76.0-81.9
Not Employed	32	2.8	1.7-4.0
Student/Homeworker	107	12.3	9.8-14.9
Retired/Unable to Work	83	5.9	4.4-7.3
Health Plan			
Health Coverage	1031	89.0	86.7-91.3
Don't Have Coverage	116	11.0	8.7-13.3
Disability			
Yes	145	12.1	10.0-14.2
No	1001	87.9	85.8-89.9
Diabetes			
Yes	37	2.6	1.7-3.5
Only during pregnancy	9	0.8	0.2-1.3
No	1107	96.6	95.5-97.7
General Health			
Excellent, very good, or good	1062	93.1	91.5-94.6
Fair or poor	91	6.9	5.3-8.5
Overweight or Obese			
Yes	723	63.9	60.6-67.2
No	388	36.1	32.8-39.4
Personal Provider			
Yes, only one	725	58.9	55.6-62.2
More than one	125	11.9	9.7-14.1
No	301	29.2	26.0-32.3

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Sun Burn In The Past 12 Months: Respondents who had a sun burn within the past 12 months
Denominator:	Respondents who had a sun burn in the past 12 months

R1: At Risk For Current Smoking

Selected Characteristics Of Respondents Who Are Current Smokers*, 2003

Characteristics	# of smokers	Among respondents who are smokers,% distribution by subgroups	95% Confidence Interval
Total	635	100	
Age Group (years)			
18 – 24	57	16.8	12.4-21.3
25 – 34	103	20.0	16.2-23.7
35 – 44	166	26.6	22.7-30.4
45 – 54	154	18.4	15.4-21.4
55 – 64	87	10.9	8.6-13.3
65+	61	7.3	5.3-9.2
Sex			
Male	296	53.2	48.7-57.6
Female	339	46.8	42.3-51.3
Race			
White	558	86.4	83.2-89.6
Amer. Indian	55	10.3	7.4-13.1
Other	20	3.3	1.8-4.9
Education			
Less than H.S.	62	11.1	8.1-14.1
H.S. Grad	227	35.5	31.2-39.7
Some College	237	36.5	32.2-40.8
College Grad	108	16.9	13.2-20.6
Household Income			
\$0 – 14,999	96	15.2	11.4-19.0
\$15,000 – 24,999	143	25.2	20.9-29.4
\$25,000 – 49,999	222	39.5	34.9-44.1
\$50,000 – 74,999	75	13.4	10.4-16.4
\$75,000+	35	6.7	4.4-9.0
Marital Status			
Married	282	49.4	44.9-53.9
Divorced	141	16.6	13.5-19.6
Widowed	46	3.8	2.6-4.9
Separated	13	1.5	0.6-2.5
Never Married	125	21.5	17.6-25.4
Member of Unmarried Couple	27	7.2	3.9-10.4

Employment			
Employed	453	72.4	68.2-76.6
Not Employed	28	5.0	3.0-6.9
Student/Homeworker	58	11.4	7.8-14.9
Retired/Unable to Work	92	11.2	8.8-13.7
Health Plan			
Health Coverage	513	78.2	74.0-82.4
Don't Have Coverage	121	21.8	17.6-25.9
Other variables			
Disability			
Yes	134	18.6	15.3-21.9
No	496	81.4	78.1-84.6
Diabetes			
Yes	31	3.5	2.1-4.8
Only during pregnancy	3	0.6	0-1.4
No	600	95.9	94.4-97.4
High Blood Pressure			
Yes	144	20.0	16.7-23.4
Only during pregnancy	5	0.6	0-1.1
No	486	79.4	76.0-82.8
High Cholesterol			
Yes	129	27.3	22.7-31.9
No	301	72.7	68.0-77.3
Physical Activity (PA)			
Meet PA	278	49.7	45.0-54.5
Insufficient PA	227	37.4	32.9-48.1
No PA	84	12.9	9.9-15.8

* Respondents who reported that they smoked everyday or at least some days each week.

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Current Smoking: Respondents who reported having smoked at least 100 cigarettes in their lifetime and reported that they currently smoke everyday or some days.
Denominator:	Respondents who are current smokers

R2: At Risk For Current Smokeless Use (Males)

Selected Characteristics Of Respondents Who Are Current Smokeless Tobacco Users, 2003			
Characteristics	# of smokeless tobacco users	Among respondents who are smokeless users,% distribution by subgroups	95% Confidence Interval
Total	117	100	
Age Group (years)			
18 – 24	13	19.3	9.4-29.3
25 – 34	26	23.4	15.0-31.9
35 – 44	31	23.6	15.7-31.6
45 – 54	23	18.3	11.0-25.6
55 – 64	12	7.7	3.1-12.2
65+	12	7.7	3.2-12.2
Race			
White	107	93.7	89.4-97.9
Amer. Indian	7	5.1	1.2-9.0
Other	2	1.2	0.0-3.0
Education			
Less than H.S.	8	5.4	1.3-9.6
H.S. Grad	38	35.4	25.7-45.2
Some College	44	35.3	25.8-44.7
College Grad	27	23.9	14.8-32.9
Household Income			
\$0 – 14,999	9	7.9	1.5-14.3
\$15,000 – 24,999	10	10.3	4.0-16.7
\$25,000 – 49,999	49	43.0	32.9-53.0
\$50,000 – 74,999	25	25.7	16.5-34.9
\$75,000+	15	13.1	6.8-19.4
Marital Status			
Married	65	59.2	49.1-69.3
Divorced	15	8.2	3.8-12.7
Widowed	4	2.3	0.0-4.8
Separated	1	0.8	0.0-2.4
Never Married	28	25.3	15.4-35.1
Member of Unmarried Couple	4	4.2	0.1-8.3
Employment			
Employed	102	89.	82.4-95.7
Not Employed	1	0.4	0.0-1.2
Student/Homeworker	2	4.1	0.0-9.6

Retired/Unable to Work	11	6.4	2.4-10.4
Health Plan			
Health Coverage	99	83.9	76.2-91.5
Don't Have Coverage	17	16.1	8.5-23.8
Other variables			
Disability			
Yes	15	11.0	5.1-17.0
No	102	89.0	83.0-94.9
Diabetes			
Yes	7	4.8	0.9-8.6
No	110	95.2	91.4-99.1
High Blood Pressure			
Yes	96	83.4	76.2-90.6
No	21	16.6	9.4-23.8
High Cholesterol			
Yes	12	13.1	5.6-20.5
No	63	86.9	79.5-94.4
Physical Activity (PA)			
Meet PA	63	61.6	51.8-71.4
Insufficient PA	33	29.0	19.9-38.1
No PA	15	9.4	4.4-14.5

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R2: At Risk For Current Smokeless Use (Males): Male respondents who reported that they currently use smokeless tobacco products every day or some days
Denominator:	Respondents who are current smokeless tobacco users

R4: At Risk For Not Quitting Smoking

Selected Characteristics of Respondents At Risk For Not Quitting Smoking For A Day Or Longer, 2003			
Characteristics	# at risk for not quitting smoking for a day or longer	Among respondents at risk, % distribution by subgroup	95% Confidence Interval
Total	316	100	
Age Group (years)			
18 – 24	23	13.2	7.8-18.5
25 – 34	41	17.4	12.1-22.7
35 – 44	89	29.1	23.5-34.7
45 – 54	83	20.5	16.0-24.9
55 – 64	45	12.0	8.5-15.5
65+	30	7.8	4.9-10.7
Sex			
Male	167	60.3	54.3-66.2
Female	149	39.7	33.8-45.7
Race			
White	285	88.5	84.3-92.8
Amer. Indian	23	9.4	5.4-13.4
Other	7	2.1	0.4-3.7
Education			
Less than H.S.	32	13.3	8.3-18.3
H.S. Grad	111	35.3	29.3-41.3
Some College	122	37.0	30.9-42.9
College Grad	51	14.4	10.3-18.5
Household Income			
\$0 – 14,999	38	11.3	7.2-15.4
\$15,000 – 24,999	70	26.5	20.2-32.7
\$25,000 – 49,999	115	40.3	33.9-46.8
\$50,000 – 74,999	41	15.7	11.1-20.4
\$75,000+	19	6.2	3.3-9.0
Marital Status			
Married	141	49.4	43.2-55.6
Divorced	75	18.7	14.0-23.4
Widowed	20	3.5	1.9-5.1
Separated	7	1.8	0.3-3.2
Never Married	58	19.9	14.5-25.3
Member of Unmarried Couple	14	6.7	3.1-10.3
Employment			
Employed	243	79.1	73.9-84.1

Not Employed	6	2.3	0.3-4.2
Student/Homeworker	22	8.2	4.4-12.0
Retired/Unable to Work	42	10.4	7.1-13.8
Health Plan			
Health Coverage	254	76.7	70.8-82.5
Don't Have Coverage	62	23.3	17.5-29.2
Other variables			
Disability			
Yes	61	17.1	12.6-21.5
No	252	82.9	78.5-87.3
High blood pressure			
Yes	66	19.1	14.3-23.9
Only during pregnancy	1	0.5	0-1.4
No	249	80.4	75.5-85.2
High Cholesterol			
Yes	52	24.1	17.7-30.4
No	153	75.9	69.6-82.2
Binge drinking			
Yes	104	37.6	31.2-44.0
No	204	62.4	56.0-68.8
Overweight or Obese			
Yes	176	59.6	53.3-65.9
No	129	40.4	34.1-46.7
Physical Activity(PA)			
Meet PA	127	47.0	40.4-53.5
Insufficient PA	115	38.0	31.8-44.3
No PA	46	15.0	10.5-19.5
Asthma			
Yes	24	8.9	5.1-12.7
No	291	91.1	87.3-94.9
General Health			
Excellent, very good, good	271	87.6	83.8-91.5
Fair, poor	44	12.4	8.5-16.2

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R4: At Risk For Not Quitting Smoking: Respondents who

	reported that they had not quit smoking for a day or longer during the past 12 months because they were trying to quit
Denominator:	Respondents who are at risk for not quitting smoking for a day or longer

R1: At Risk For Exposure To Violence As a Child

Selected Characteristic Of Respondents Who Were Exposed To Violence As A Child, 2003			
Characteristics	# who were exposed to violence as children	Among respondents exposed to violence as children, % distribution by subgroups	95% Confidence Interval
Total	379	100	
Age Groups (years)			
18 – 24	24	11.1	6.6-15.6
25 – 34	59	18.9	14.3-23.6
35 – 44	96	26.4	21.5-31.3
45 – 54	106	23.3	18.9-27.7
55 – 64	47	9.7	6.8-12.6
65 +	46	10.5	7.4-13.7
Sex			
Male	132	40.7	35.1-46.4
Female	247	59.3	53.7-64.9
Race			
White	338	86.6	82.3-90.9
Amer. Indian	36	11.8	7.7-15.8
Other	5	1.6	0.1-3.2
Education			
Less than H.S.	31	8.7	5.5-11.9
H.S. Grad	142	38.2	32.7-43.7
Some College	124	32.8	27.5-38.1
College Grad	82	20.3	15.7-24.8
Household Income			
\$0 – 14,999	46	11.0	7.5-14.4
\$15,000 – 24,999	80	23.9	18.9-29.1
\$25,000 – 49,999	137	38.6	32.9-44.2
\$50,000 – 74,999	60	18.1	13.6-22.5
\$75,000+	29	8.5	5.4-11.6
Marital Status			
Married	192	57.4	51.9-63.0
Divorced	75	14.2	10.8-17.6
Widowed	27	4.0	2.3-5.6
Separated	8	1.4	0.4-2.5
Never Married	61	17.3	12.8-21.8
Member of Unmarried Couple	15	5.6	2.4-8.9

Employment			
Employed	276	71.7	66.5-76.9
Not Employed	16	4.5	2.1-6.8
Student/Homeworker	24	9.1	5.2-12.9
Retired/Unable to Work	61	14.8	11.0-18.6
Health Plan			
Health Coverage	319	82.1	77.4-86.8
Don't Have Coverage	60	17.9	13.2-22.6
Disability			
Yes	95	24.2	19.4-28.9
No	284	75.8	71.1-80.6
Diabetes			
Yes	17	3.9	1.9-5.9
Only during pregnancy	3	0.6	0.0-1.2
No	359	95.5	93.5-97.6
Overweight or Obese			
Yes	245	67.8	62.4-73.2
No	120	32.2	26.8-37.6
Current smoker			
Yes	248	67.7	62.5-73.0
No	128	32.3	27.0-37.5
Binge drinking			
Yes	364	95.9	93.6-98.2
No	14	4.1	1.8-6.4

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Exposure To Violence As A Child: Respondents who reported that they were abused as a child OR who saw or heard one of their parents/guardians being hit, slapped, punched, shoved, kicked or otherwise physically hurt by their spouse/partner.
Denominator:	Respondents who were exposed to violence as a child